



FIRST FLOOR PLAN 1:50

LICENCE DRAWING KEY

FIRE AUTHORITY REQUIREMENTS HALF HOUR FIRE RESISTANT WITH SMOKE SEALS & INTUMESCENT STRIPS AMBIT OF LICENSED PREMISES CUSTOMER AREA (INC BARS) F60 ONE HOUR FIRE RESISTANT (For Licensing Activities) VISION PANEL PANIC BOLT KITCHEN & STAFF AREAS SELF-CLOSING SELF-CLOSING AUTOMATIC RELEASE TOILETS & PASSAGEWAYS **FUSIBLE LINK** DOOR SELECTOR SH SPY HOLE LIQUOR STORE "FIRE DOOR KEEP SHUT" 10mm LETTERS TO BOTH SIDES OF DOOR LEAF

"FIRE DOOR KEEP LOCKED" 10mm LETTERS DRY POWDER EXTINGUISHER TO BOTH SIDES OF DOOR LEAF FOAM FIRE EXTINGUISHER "FIRE ESCAPE KEEP CLEAR" 10mm LETTERS TO BOTH SIDES OF DOOR LEAF ALARM WARNING DEVICE "FIRE EXIT" 20 mm LETTERS ALL WALLS AND PARTITIONS TO BE MINIMUM HALF HOUR FIRE RESISTANT "PUSH BAR TO OPEN" 20mm LETTERS EMERGENCY LIGHTING TO COMPLY WITH DIRECTIONAL ARROW (GREEN) BS 5266 PART 1 FIRE SAFETY RELATED SIGNS AND NOTICES FRG FIRE RESISTING GLAZING ELEMENT TO COMPLY TO BS 5499 ILLUMINATED SUSPENDED "FIRE EXIT" SIGN 75mm LETTERS FIRE FIGHTING EQUIPMENT TO COMPLY WITH BS 5306 WALL AND CEILING LININGS ARE TO BE CLASS 1 SURFACE SPREAD OF AREA COVERED BY ESCAPE LIGHTING FLAME (AS DEFINED BY BS 476 AREA COVERED BY SMOKE DETECTORS CLASS O IN ESCAPE ROUTES AREA COVERED BY HEAT DETECTORS UPHOLSTERED SEATING FURNITURE TO SATISFY THE FOLLOWING :-FIRE ALARM CALL POINT *IGNITION SOURCE (CIGARETTE TEST) AS SPECIFIED IN BS5852 PART 1 FIRE ALARM INDICATOR PANEL FIRE TEST FOR FURNITURE: METHODS OF TEST FOR THE IGNITABILITY BY FIRE BLANKET IN CONTAINER SMOKERS.

CARBON DIOXIDE FIRE EXTINGUISHER

9 LITRE WATER EXTINGUISHER

SUBMITTED TO FIRE AUTHORITY.

TO BS 5867 PART 2.

CURTAINS AND DRAPES TO SATISFY TYOE B, PERFORMANCE REQUIREMENTS

ARTIFICIAL FOLIAGE AND DECORATIVE EFFECTS TO BE RETARDENT TO THE SATISFACTION OF THE FIRE AUTHORITY.

VISIBILTY *BS 5882 PART 2 FIRE TEST FOR FURNITURE-METHODS OF TEST FOR CCTV CAMERAS TO BE AT HIGH LEVEL (if applicable) THE IGNITABILITY OF UPHOLSTERED COMPOSITES FOR TESTING BY FLAMING TOILETS SOURCE, MINIMUM TEST TO BE CRIB ALL NEW WALLS TILED TO FULL HEIGHT (if applicable)
SANITARY FACILITIES HAVE BEEN
INSTALLED TO BS 6465: PART
1:1994 CODE OF PRACTICE FOR THE
SCALE AND PROVISION, SELECTION
AND INSTALLATION OF SANITARY IGNITION SOURCE 5. FABRICS THAT HAVE HAD A FLAME RETARDENT TREATMENT TO PASS THE WATER SOAK TEST AS DETAILED BY BS5651. TEST CERTIFICATE TO BE

APPLIANCES KITCHEN ALL WALLS TILED OR SHEETED TO FULL HEIGHT (if applicable - new works)



RIBA 🗰 Chartered Practice Studio on the Green Scale: VARIOUS Ballards Gore Golf Club Gore Road Canewdon Essex SS4 2DA Telephone: (01702) 548 588 www.bdarchitecture.co.uk 22.106/L01



Customer

Area

fridge

Kitchen